

In the Claims:

Please amend Claims 1, 7, 9-10, 12-23, and 47-50; and cancel Claims 5-6, all as shown below.

1. (Currently Amended) A method for maintaining an event-based subscription by a subscriber to an events notification service, comprising the steps of:

defining a set of best-effort delivery variables and administrative limits to be associated with a subscription to an events notification service;

subscribing to events delivered by said events notification service via said subscription;

maintaining in a subscription cache a list of event notification subscriptions, together with associated subscription identifiers, wherein said subscription cache is stored on a persistent storage device;

periodically checking the delivery of said events to said subscriber during the life of said subscription in accordance with said administrative limits; and,

if said periodic checking of delivery of events indicates a failure in delivery then canceling the subscription.

2. (Original) The method of claim 1 wherein said best-effort delivery variables include a maximum time for delivery of an event to said subscriber.

3. (Original) The method of claim 1 wherein said events are sent using one-way event notification messages.

4. (Original) The method of claim 3 wherein said step of periodically checking includes sending and verifying delivery of a two-way event notification to the subscriber.

5. (Cancelled)

6. (Cancelled)

7. (Currently Amended) The method of ~~claim 6~~ claim 1 wherein each entry in said subscription cache includes, for the subscription identified by said entry, a value indicating the maximum time between periodic checks for the delivery of events for that subscription.

8. (Original) The method of claim 7 wherein said entry for that subscription includes a value indicating the number of events to be delivered between delivery checks, together with a time stamp for any previous delivery checks.

9. (Currently Amended) The method of ~~claim 5~~ claim 1 further comprising:
referencing the subscription cache to determine whether the next event notification message to a subscription should be sent as a one-way message or as a two-way message.

10. (Currently Amended) The method of ~~claim 5~~ claim 1 wherein the entry corresponding to a subscription is removed when that subscription is cancelled.

11. (Original) The method of claim 1 wherein the best-effort delivery variables are specified by the subscriber by specifying a quality of service when requesting the subscription.

12. (Currently Amended) An event server system for maintaining an event-based subscription by a subscriber client application to an event notification and bounding the life of said event-based subscription to the availability of a software object at said subscriber client, comprising:

an events server ~~for receiving~~ comprising computer-readable instructions stored on a persistent storage device adapted to receive events from a posting client application and ~~communicating~~ adapted to communicate said events to said subscriber client application;

an events broker comprising computer-readable instructions stored on a persistent storage device in communication with said event server, ~~for handling said events broker~~ adapted to handle a request for a subscription from a subscriber for event notifications and ~~matching said events broker adapted to match~~ the notification of said events to said subscribers via an event service;

said events service comprising computer-readable instructions stored on a persistent storage device in communication with said events broker, said events service ~~for delivering~~ adapted to deliver events to an object at said subscriber client application, and ~~periodically verifying said events service adapted to periodically verify~~ delivery of said event during the life of said subscription in accordance with administrative limits and best-effort delivery variables associated with said subscription; and,

an events check timer comprising computer-readable instructions stored on a persistent storage device, for maintaining said events check timer adapted to maintain a number of event deliveries, and communicating said events check timer adapted to communicate said number of event deliveries to said events service for use in said periodically verifying delivery.

13. (Currently Amended) The event server system of claim 12 wherein said best-effort delivery variables include a maximum time for delivery of an event to said subscriber.

14. (Currently Amended) The event server system of claim 12 wherein said events are sent using one-way event notification messages.

15. (Currently Amended) The event server system of claim 14 wherein said event service periodically verifies delivery of said event associated with said subscription by sending a two-way event notification to the subscriber.

16. (Currently Amended) The event server system of claim 15 further comprising:
a subscription cache containing a list of event notification subscriptions, together with associated subscription identifiers.

17. (Currently Amended) The event server system of claim 16 wherein said subscription cache is stored on a persistent storage device.

18. (Currently Amended) The event server system of claim 17 wherein each entry in said subscription cache includes, for the subscription identified by said entry, a value indicating the maximum time between periodic checks for the best-effort delivery of events for that subscription.

19. (Currently Amended) The event server system of claim 18 wherein said entry for that subscription includes a value indicating the number of events to be delivered between delivery checks, together with a time stamp for any previous delivery checks.

20. (Currently Amended) The event server system of claim 16 wherein the events service references the subscription cache to determine whether the next event notification message to a subscription should be sent as a one-way message or as a two-way message

21. (Currently Amended) The event server system of claim 16 wherein the entry corresponding to a subscription is removed when that subscription is cancelled

22. (Currently Amended) The event server system of claim 12 wherein the best-effort delivery variables are specified by the subscriber by specifying a quality of service when requesting the subscription.

23. (Currently Amended) Computer-readable instructions stored on a persistent storage device for bounding the life of an event-based subscription to the availability of an object on an event server, which when read and executed by a computer cause said computer to perform the steps of:

defining a set of best-effort delivery variables and administrative limits to be associated with said subscription to an events notification service;

subscribing to events delivered by said events notification service via said subscription;

periodically checking the delivery of said events to said subscriber during the life of said subscription in accordance with said administrative limits; and,

if said periodic checking of delivery of events indicates a failure in delivery then canceling the subscription.

24. (Original) The computer readable instructions of claim 23 wherein said best-effort delivery variables include a maximum time for delivery of an event to said subscriber.

25. (Original) The computer readable instructions of claim 23 wherein said events are sent using one-way event notification messages.

26. (Original) The computer readable instructions of claim 25 wherein said step of periodically checking includes sending and verifying delivery of a two-way event notification to the subscriber.

27. (Original) The computer readable instructions of claim 26 further comprising:
instructions for maintaining in a subscription cache a list of event notification subscriptions, together with associated subscription identifiers.
28. (Original) The computer readable instructions of claim 27 wherein said subscription cache is stored on a persistent storage device.
29. (Original) The computer readable instructions of claim 28 wherein each entry in said subscription cache includes, for the subscription identified by said entry, a value indicating the maximum time between periodic checks for the delivery of events for that subscription.
30. (Original) The computer readable instructions of claim 29 wherein said entry for that subscription includes a value indicating the number of events to be delivered between delivery checks, together with a time stamp for any previous delivery checks.
31. (Original) The computer readable instructions of claim 27 further comprising:
instructions for referencing the subscription cache to determine whether the next event notification message to a subscription should be sent as a one-way message or as a two-way message
32. (Original) The computer readable instructions of claim 27 wherein the entry corresponding to a subscription is removed when that subscription is cancelled
33. (Original) The computer readable instructions of claim 23 wherein the best-effort delivery variables are specified by the subscriber the sub parameters by specifying a quality of service when requesting the subscription.
34. (Previously Presented) A method for maintaining an event-based subscription by a subscriber to an events notification service including a plurality of events channels, comprising the steps of:
allowing a subscriber to create a subscription to an events channel of said events notification service, said subscription used to receive event notifications delivered by said events channel;

delivering said event notifications to said subscriber via a plurality of one-way messages;
periodically delivering said event notifications to said subscriber during the life of the
subscription via a two-way message; and,

if said periodic delivery of event notifications by said two-way message fails, then
canceling the subscription.

35. (Original) The method of claim 34 further comprising:
specifying a set of best-effort delivery variables including a maximum time for delivery of
an event to said subscriber.

36. (Original) The method of claim 34 further comprising:
maintaining in a subscription cache a list of event notification subscriptions, together with
associated subscription identifiers.

37. (Original) The method of claim 36 wherein said subscription cache is stored on a
persistent storage device.

38. (Original) The method of claim 37 wherein each entry in said subscription cache
includes, for the subscription identified by said entry, a value indicating the maximum time
between periodic checks for the delivery of events for that subscription.

39. (Original) The method of claim 38 wherein said entry for that subscription includes a
value indicating the number of events to be delivered between periodic delivery checks,
together with a time stamp for any previous delivery checks.

40. (Original) The method of claim 39 further comprising:
referencing the subscription cache to determine whether the next event notification
message to a subscription should be sent as a one-way message or as a two-way message.

41. (Original) The method of claim 40 wherein the entry corresponding to a subscription is
removed when that subscription is cancelled.

42. (Original) The method of claim 35 wherein the best-effort delivery variables are specified

by the subscriber by specifying a quality of service when requesting the subscription.

43. (Previously Presented) The method of claim 1 wherein said administrative limits are selected from a set of multiple administrative limits.

44. (Previously Presented) The method of claim 4 wherein said administrative limits include a maximum number of consecutive one-way messages that may be delivered between to way messages.

45. (Previously Presented) The method of claim 4 wherein said administrative limits include a maximum time between successive two way messages.

46. (Previously Presented) The method of claim 4 wherein said administrative limits include a maximum time to wait for a response to a two way message.

47. (Currently Amended) The event server system of claim 12 wherein said administrative limits are selected from a set of multiple administrative limits.

48. (Currently Amended) The event server system of claim 15 wherein said administrative limits include a maximum number of consecutive one-way messages that may be delivered between to way messages.

49. (Currently Amended) The event server system of claim 15 wherein said administrative limits include a maximum time between successive two way messages.

50. (Currently Amended) The event server system of claim 15 wherein said administrative limits include a maximum time to wait for a response to a two way message.

51. (Previously Presented) The computer readable instructions of claim 23 wherein said administrative limits are selected from a set of multiple administrative limits.

52. (Previously Presented) The computer readable instructions of claim 26 wherein said administrative limits include a maximum number of consecutive one-way messages that may be

delivered between to way messages.

53. (Previously Presented) The computer readable instructions of claim 26 wherein said administrative limits include a maximum time between successive two way messages.

54. (Previously Presented) The computer readable instructions of claim 26 wherein said administrative limits include a maximum time to wait for a response to a two way message.